SAFETY DATA SHEET

Glenta Surt skumrengøringsmiddel

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Glenta Surt skumrengøringsmiddel

Unique formula identifier (UFI)

P200-U0CW-500H-Q00U

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

PC35 Washing and cleaning products

Product code (A.I.S.E.)

AISE-P806 / Foam cleaner. Semi-Automatic with venting process.
AISE-P807 / Foam cleaner. Semi-Automatic without venting process.

Use descriptors (REACH)

Sectors of use	**Description**
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	**Description**
PC 35	Washing and Cleaning Products (including solvent based products)
Environmental release category	**Description**
ERC 8b	Wide dispersive indoor use of reactive substances in open systems

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Stadsing A/S
Østre Fælledvej 13
DK-9400 Nørresundby
Denmark
Tel.: +45 7015 3400

E-mail

info@stadsing.dk

Revision

19/03/2026

SDS Version

1.0

1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)
General public:
England - Dial 111 to reach NHS 111 (24 hour service)
Scotland - Dial 111 to reach NHS 24 (24 hour service)
Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)
See section 4 “First aid measures”.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.
Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Precautionary statement(s)

General

Not applicable.

Prevention

Do not breathe vapour/mist. (P260)
Wear face protection/protective gloves/protective clothing. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
Immediately call a POISON CENTER/doctor. (P310)

Storage

Not applicable.

Disposal

Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances

sulphuric acid
Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Additional labelling

UFI: P200-U0CW-500H-Q00U

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sulphuric acid	CAS No.: 7664-93-9 EC No.: 231-639-5 UK-REACH: Index No.: 016-020-00-8	5-10%	Met. Corr. 1, H290 Skin Corr. 1A, H314 (SCL: 15.00 %) Skin Irrit. 2, H315 (SCL: 5.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %)	[1]
Citric acid, monohydrate	CAS No.: 5949-29-1 EC No.: 611-842-9 UK-REACH: Index No.:	5-10%	Eye Irrit. 2, H319	

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched	CAS No.: 69011-36-5 EC No.: 500-241-6 UK-REACH: Index No.:	1-3%	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Cocoamphoacetat	CAS No.: 68608-65-1 EC No.: UK-REACH: Index No.:	1-3%	Eye Irrit. 2, H319 (SCL: 16.00 %)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Amphoteric surfactants

· Non-ionic surfactants

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with plenty of water or saline solution (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms of inadvertent contact with products containing sulfuric acid are: extreme destruction of tissues of the mucous membranes and upper respiratory tract, eyes, and skin. Spasm, inflammation and edema of the larynx, Spasm, inflammation and edema of the bronchi.

Pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, Shortness of breath. Headache, Nausea, Vomiting. Effects may be delayed.

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Sulphur oxides
Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage temperature

0 - 40°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sulphuric acid
Long term exposure limit (8 hours) (mg/m³): 0,05 (Mist) (Thoraic fraction)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	93.8 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	263 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	6.53 mg/m³
Long term – Systemic effects - Workers	Inhalation	37 mg/m³
Long term – Systemic effects - General population	Oral	2.5 mg/kg bw/day

sulphuric acid

Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Inhalation	50 µg/m³
Short term – Local effects - Workers	Inhalation	100 µg/m³

PNEC

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Route of exposure:	Duration of Exposure:	PNEC:
Activated Sludge Plant	Single	>10.000 mg/l
Freshwater		4.36 µg/L
Freshwater sediment		119.4 µg/kg
Intermittent release (freshwater)		5.44 µg/L
Intermittent release (marine water)		544 ng/L
Marine water		436 ng/L
Marine water sediment		11.94 µg/kg
Sewage treatment plant		4.35 mg/L
Soil		21.3 µg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and

emergency showers are clearly marked.
Ensure that eyewash stations and safety showers are located within easy reach.
Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

8.3. Individual protection measures, such as personal protective equipment

Generally

Wash contaminated clothing before reuse.
Use only UKCA marked protective equipment.

Respiratory Equipment

Work situation	Type	Class	Colour	Standards	
When there is risk of formation of mist/aerosol	S/SL	P2	White	EN149	

Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.38	>120	EN374-2, EN374-3, EN388	
Butyl	0.3	> 60	EN374-2, EN374-3, EN388	
Nitrile	0.1	-	EN374-2	

Eye protection

Type	Standards	
Face shield alternatively safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form

Liquid

Colour

Clear

Odour

None

Odour threshold (ppm)

No data available.

pH
0,6
Density (g/cm^3)
1.08
Viscosity
No data available.

Phase changes
Melting point (°C)
No data available.
Boiling point (°C)
No data available.
Vapour pressure
No data available.
Vapour density
No data available.
Decomposition temperature (°C)
No data available.
Evaporation rate (n-butylacetate = 100)

Data on fire and explosion hazards
Flash point (°C)
No data available.
Ignition (°C)
No data available.
Auto flammability (°C)
No data available.
Explosion limits (% v/v)
No data available.
Explosive properties
No data available.
Oxidizing properties
No data available.

Solubility
Solubility in water
Completely soluble
n-octanol/water coefficient
No data available.
Solubility in fat (g/L)
No data available.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity
No data available.
10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.
10.3. Possibility of hazardous reactions
None known.
10.4. Conditions to avoid
None known.
10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
10.6. Hazardous decomposition products
Thermal decomposition may produce corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Product/substance	sulphuric acid
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2140 mg/kg ·

Product/substance	sulphuric acid
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	0,375 mg/kg ·

Product/substance	Citric acid, monohydrate
Route of exposure:	Oral
Test:	LD50
Result:	5400 mg/kg ·

Product/substance	Citric acid, monohydrate
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg ·

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	500-2000 mg/kg ·

Product/substance	Cocoamphoacetat
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	<5000 mg/kg ·

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Other information

sulphuric acid has been classified by IARC as a group 1 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	sulphuric acid
Species:	Crustacean
Duration:	48 hours
Test:	EC50
Result:	> 100 mg/l ·

Product/substance	Citric acid, monohydrate
Species:	Fish
Duration:	48 hours
Test:	LC50
Result:	440 mg/l ·

Product/substance	Citric acid, monohydrate
Species:	Algae
Duration:	8 days
Test:	NOEC
Result:	425 mg/l ·

Product/substance	Citric acid, monohydrate
Species:	Daphnia
Duration:	24 hours
Test:	LC50
Result:	1535 mgL ·

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	1-10 mg/l ·

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	1-10 mg/l ·

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	1-10 mg/l ·

Product/substance	Cocoamphoacetat
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	5,3 mg/l ·

Product/substance	Cocoamphoacetat
Species:	Daphnia
Duration:	96 hours
Test:	EC50
Result:	8,9 mg/l ·

Product/substance	Cocoamphoacetat
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	16,9 mg/l ·

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Product/substance	sulphuric acid
Conclusion:	-

Product/substance	Citric acid, monohydrate
Result:	97%
Conclusion:	-
Test:	OECD 301 B

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Result:	90%
Conclusion:	-
Test:	OECD 301 E

Product/substance	Cocoamphoacetat
Result:	73%
Conclusion:	-
Test:	OECD 301 A

12.3. Bioaccumulative potential

Product/substance	sulphuric acid
Conclusion:	-

Product/substance	Citric acid, monohydrate
BCF:	0.5
LogKow:	-0,2000
Conclusion:	-

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
BCF:	98
LogKow:	2,7700
Conclusion:	-

Product/substance	Cocoamphoacetat
LogKow:	-1,0000
Conclusion:	-

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)
HP 8 – Corrosive
Dispose of contents/container to an approved waste disposal plant.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 14* Acids
Waste group H: Waste with low energy content

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR/ADN/RID	3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid)	Transport hazard class: 8 Label: 8 Classification code: C1	III	No	Limited quantities: 5 L Tunnel restriction code: 3 (E) See below for additional information.
IMDG	3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid)	Transport hazard class: 8 Label: 8 Classification code: C1	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid)	Transport hazard class: 8 Label: 8 Classification code: C1	III	No	See below for additional information.

* Packing group
** Environmental hazards

Additional information

This product is within scope of the regulations of transport of dangerous goods.
ADR/ADN/RID / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.
IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.
IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.
People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Regulation on drug precursors

sulphuric acid is included (Category 3)

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

The Management of Health and Safety at Work Regulations 1999.
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
The Controlled Drugs (Drug Precursors) Regulations 2008.
Council Regulation (EC) No 2019/1148 on explosives precursors as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.
H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H319, Causes serious eye irritation.
H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
PC 35 = Washing and Cleaning Products (including solvent based products)
ERC 8b = Wide dispersive indoor use of reactive substances in open systems

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EC = Effective concentration
ED = Effective dose
EINECS = European Inventory of Existing Commercial chemical Substances
EL = Effective Loading
ErC = Concentration associated with x% growth rate response
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
HP = Hazardous Property code
IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IC = X maximum inhibitory concentration
IMDG = International Maritime Dangerous Goods
LC = Lethal concentration
LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans
LD = Lethal dose
LOAEC = Lowest Observed Adverse Effect Concentration
LOAEL = Lowest Observed Adverse Effect Level
LOEC = Lowest Observed Effect Concentration
LogKow = logarithm of the n-octanol/water coefficient
LL = Lethal Loading
M = For multiplication factor
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NOAEC = No Observed Adverse Effect Concentration
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
NOELR = No Observable Effect Loading Rate
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Basel Altonji

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en