naturesse

This specification describes articles of the material group

Wood

Material description:

Wooden boat: pine wood
As first step the tree trunks go into boiling water. Then the trunks are getting decorticated. The next step is to cut the trunk in thin layers, which will be punched and steamed. After this, the wood will be pressed in the needed shape, glued and splints will be removed.
There is no additional surface treatment or coating of the wood.

Product description

Picture	Description	Article number
	Boat	10057, 10058, 10059, 10060, 10061, 17494

Material / composition

Wood

Storage

Storage temperature: ambient
Relative humidity: dry
Storage conditions keep away from direct sunlight

Purpose of use

Types of food to be in contact with the material:

☒ dry
☒ greasy

Applications:

☒ Short-term contact (according to migration test 2h)

This information is based on our current level of know-how and knowledge.
Specifications can be adjusted at any time without advance warning.

Pacovis AG, Grabenmattenstrasse 19, CH-5608 Stetten, Tel. +41 (0)56 485 93 93, Fax. +41 (0)56 485 93 00 www.pacovis.ch

Pacovis AG

☒ Heating to 70°C

Declaration of compliance

These articles meet the following regulations and are suitable for direct contact with food :

☒ **Regulation (EC) No 2023/2006** on good manufacturing practice for materials and articles intended to come into contact with food

☒ **Regulation (EC) No 1935/2004** on materials and articles intended to come into contact with food and

☒ **Regulation (EU) No 10/2011** on plastic materials and articles intended to come into contact with food. And subsequent amendments until the date of the test report.

☒ **SR 817.023.21** The Swiss Ordinance on Materials and Articles in Contact with Food

☒ **Directive 94/62/EC** on packaging and packaging waste

Overall migration

Tested under the following conditions (test report SQTS 2018L38934):

Simulant	Time 1	Temperature 1	Time 2	Temperature 2
☒ E: Poly(2,6-diphenyl-p-phenylenoxid) or Tenax	3 d	40°C	2h	70°C

The global migration values are below the limit of 10 mg/dm² and 60 mg/kg.

Specific migration

☒ A screening was performed. The limits are met.

☒ Formaldehyde was not detected

Calculation basis

☒ Ratio of food contact surface area to volume used to establish the compliance of the material or article: 6 dm²/kg

Microbiology

The microbiological findings of the sample are inconspicuous and correspond to the microbiological basic load.

Pacovis AG

This information is based on our current level of know-how and knowledge.
Specifications can be adjusted at any time without advance warning.

Pacovis AG, Grabenmattenstrasse 19, CH-5608 Stetten, Tel. +41 (0)56 485 93 93, Fax. +41 (0)56 485 93 00 www.pacovis.ch

PRODUCT-SPECIFICATION_00493/e
DECLARATION OF COMPLIANCE

naturesse

Production location: China

Bio-degradability: The products are completely bio-degradable

Customs duty number: 4419.9000

Reclamation

Deliveries, which differ from the listed specifications, will be withdrawn and replaced after review.

Created by: STOL **Date: 16.03.2024**	**Released by: MEI** **Andreas Meier (Head of Purchasing)**	**Version: 2**

Pacovis AG

This information is based on our current level of know-how and knowledge.
Specifications can be adjusted at any time without advance warning.

Pacovis AG, Grabenmattenstrasse 19, CH-5608 Stetten, Tel. +41 (0)56 485 93 93, Fax. +41 (0)56 485 93 00 www.pacovis.ch